

## Lowder Mountain 2



LWDR2\_1983\_1.18



LWDR2\_1993\_7.2



LWDR2\_2009\_1



LWDR2\_1983\_1.19



LWDR2\_1993\_7.1



LWDR2\_1983\_1.20



LWDR2\_1993\_12.25



LWDR2\_1983\_1.21



LWDR2\_1993\_12.23



LWDR2\_1983\_1.23



LWDR2\_1993\_12.21

Thumbnail images are labelled by transect code, year, and photo number. Full size images with captions follow on subsequent pages.



LWDR2\_1983\_1.18, Azim. 295: from pin #4 @92.8 m to pin #3 @47.8 m along FEVI/CASU6 meadow to TSME invasion; note uneven-aged TSME reproduction (compare to transect 1), trees scattered in meadow.



LWDR2\_1993\_7.2. See next page for 2009.





LWDR2\_2009\_1



LWDR2\_1983\_1.19, Azim. 296: ~20 m from copper pin #3 @47.8 m oriented toward pin #3; from open ARCA2 to FEVI/ARCA2 in TSME invasion; note uneven-aged TSME, open invading front, trees in twos and threes



LWDR2\_1993\_7.1





LWDR2\_1983\_1.20, Azim. 35: from below transect to copper pin #3 @ 47.8 m; note large forest behind with TSME; TSME reproduction scattered outward; youngest trees uneven sized; ARCA2 understory.



LWDR2\_1993\_12.5





LWDR2\_1983\_1.21, Azim. 15: from FEVI to TSME invasion; ~40 m from transect (further away than in photos 1.19 and 1.20); almost three-tiered appearance of TSMEs from forest to meadow



LWDR2\_1993\_12.3





LWDR2\_1983\_1.23, Azim. 115: from rebar at transect end point to copper pin #1 @ 12.2 m (no longer present); no understory, fair amount of litter fall including large green branches; understory *Abies* and larger TSME.



LWDR2\_1993\_12.22, Azim. 115: rebar #3 just to R in TSME clump; ARCA2 in open spot; area of long-lasting snowpack. Note new CWD and wider angle of photo than in 1983.