

LOCATION: Hagen SOUTH

original 1-19

added 901-999 (1982)

section #	yrs. ²⁶ record	est. length CM	spacing (cm)	NOTES
1		2580		
2		2680	3120 12/22	
3		3280	3260 32/22	2760 32/32a
4		2780	3650 42/32	42/32a 870
5		2010	2420 42/52	
6		3150	1555 52/62	2770 62/62a
7		2810	1210 72/72a	
8		2330	1690 72/82	
9		3000	2770 92/82	
10		2810	3080 102/92	
11		2650	3130 112/102	
12		1640	5500 122/112	
13		2560	2680 132/122	
14		1680	2500 132/142	
15		2450	2460 14X/15X	
16		3010	2580 15X/16X	
17		1330	3670 16X/17X	
18		1610	2120 182/172	3360 182 → 182a
19		1930	450 192/182a	
011 A	1982	3025	3800 11A2 → 112	
12 A	82	2755	3010 12A2 → 122	
13 A		1670	1295 13A2 → 132	
14 A		2480	1970 142 to 14A2	
16 A		2710	1000 162 to 16A2	
17 A		1930	995 17a2 to 172	
18 A		1765	1920 18 A2 to 182	
20		2020	1270 202/192	
21		2325	1490 202/212	
22		2210	1470 212/222	

HAGEN SOUTH pg 2

SECTION #	Yrs of record establish 1982	established length cm	spacing (cm)
105		2950	540 1052 → 1062
106		2180	
106A		2395	390 106A2 → 1072
107		2735	1570 1072 → 1062
107A		2530	650 107A2 → 1082
108		2325	1220 108 → 1092
108A		2180	540 108A2 → 1082
109		1980	1670 1092 → 1102
109A		2200	850 1102 → 109A2
110		2340	1670 1102/1092
TOTAL # HAGS X SECTS →			39

LOCATION: HAGEN N

Cross section #	years as record	length CM	SPACING CM	
1		1810	1820 from 12 to 12	
2		1586	1820 from 22 to 12	
3		1470	168 from 32 to 22	
4		1436	1923 from 42 to 32	
5		1990	1637 from 52 to 42	
6		1656	1585 62/52	730 from 62 to 62a
7		1530	1230 72/62a	
8		1086	1370 82/72	940 from 82 to 82a
9		1640	1130 92/82a	
10		2070	1690 102/92	
11		1880	1410 112/102	
12		2160	1930 122/112	
13		2390	2640 122/13X	
14		2380	650 142/132	
15		1810	1610 142/152	
16		1290	2070 152/162	
17		1730	2030 162/172	
18		1710	1460 172/182	
19		2460	1770 192/182	
20		1760	1290 192/202	

STREAM TRANSECT LOCATION DATA

Project: HAGEN South Transect No.: 001

Date Established: 7/26/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	Δ Elev (cm)
12 ⁺ /12	210	N3W	
1x ⁺ /1x	539	N17E	
12/1x	2580	S25W	

Points From/To	Dist (cm)	Az	Δ Elev (cm)*
12/22	3120	S42E	+110
12/12a	2000	S15E	-203 (HI=117)
22/12a	1600	N70W	-313 (HI=118)

Remarks Used ~~extra~~ baseline post for 12 post
12a is turn point, occupied by range pole

Project: Hagen S Transect No.: 002

Date Established: 7/26/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	Δ Elev (cm)
22 ⁺ /22	543	S23W	
2x ⁺ /22	1091	N17E	
22/2x	2680	—	

Points From/To	Dist (cm)	Az	Δ Elev (cm)
22/12	3120	N42W	-110

Remarks

Project: Hagen S Transect No.: 003

Date Established: 7/26/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	Δ Elev (cm)
32 ⁺ /32	562	S32E	
3x ⁺ /3x	180	N30E	
32/3x	3280	S35W	

Points From/To	Dist (cm)	Az	Δ Elev (cm)
32/22	3260	N57W	-008 (HI=154)
32/32a	2760	S50E	-086

Remarks

Project: Hagen S Transect No.: 004

Date Established: 7/26/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	Δ Elev (cm)
42 ⁺ /42	172	N12E	
4x ⁺ /4x	272	N87W	
42/4x	2780	S85W	

Points From/To	Dist (cm)	Az	Δ Elev (cm)
42/32	3650	S40E	-99 (HI=133)
42/32a	870	N58W	-185
42/42a	2160	N80E	+40 (on trail)
42/52	2420	N72W	+88

Remarks 42a turning point w/ range pole is on trail

3-z^t (T= metal tag or permanent marker)

* Δ Elev from bottom of post to bottom of post

STREAM TRANSECT LOCATION DATA

Project: Hagen S Transect No.: 005 Date Established: 7/26/81 Personnel: Hicks Osgood

Points				Points			
From/To	Dist (cm)	Az	Δ Elev (cm)	From/To	Dist (cm)	Az	Δ Elev (cm)
5z ⁺ /5z	960	S18W		5z/4za	405	N87W	-48 (HI=140)
5x ⁺ /5x	514	N15W		5z/5za	1870	S63E	+42
5z/5x	2010	S32W		5z/6z	1555	N78W	-299

Remarks

Project: Hagen S Transect No.: 006 Date Established: 7/26/81 Personnel:

Points				Points			
From/To	Dist (cm)	Az	Δ Elev (cm)	From/To	Dist (cm)	Az	Δ Elev (cm)
6z ⁺ /6z	273	S76E		6z/6za	2770	S80E	+16 (HI=128)
6x ⁺ /6x	456	S27E		(6z/Instr. at 6z = 245 cm at N33E to top instr.)			
6z/6x	3150	S28W		7z/6z			

Remarks

Project: Hagen S Transect No.: 007 Date Established: 7/26/81 Personnel: Hicks Osgood

Points				Points			
From/To	Dist (cm)	Az	Δ Elev (cm)	From/To	Dist (cm)	Az	Δ Elev (cm)
7z ⁺ /7z	220	S45E		7z/6za	1210	N7W	+48 (HI=131)
7x ⁺ /7x	393	N32E		7z/8z	1690	N40W	-105
7z/7x	2810	S57W					

Remarks

Project: Hagen S Transect No.: 008 Date Established: 7/26/81 Personnel: Hicks Osgood

Points				Points			
From/To	Dist (cm)	Az	Δ Elev (cm)	From/To	Dist (cm)	Az	Δ Elev (cm)
8z ⁺ /8z	526	S20W					
8x ⁺ /8x	551	N40E					
8z/8x	2330	S32W					

Remarks

STREAM TRANSECT LOCATION DATA

Project: Hagen S Transect No.: 009 Date Established: 7/26/81 Personnel: Hicks Osgood

Points				Points			
From/To	Dist (cm)	Az	Δ Elev (cm)	From/To	Dist (cm)	Az	Δ Elev (cm)
9z ⁺ /9z	845	S2E		9z/8z	2770	S88W	+243 (H1=98)
9x ⁺ /9x	570	S55E					
9z/9x	3000	S27W					

Remarks

Project: Hagen S Transect No.: 010 Date Established: 7/26/81 Personnel: Hicks Osgood

Points				Points			
From/To	Dist (cm)	Az	Δ Elev (cm)	From/To	Dist (cm)	Az	Δ Elev (cm)
10z ⁺ /10z	373	S8E		10z/9z	3080	N75W	-110 (H1=112)
10x ⁺ /10x	497	N75E					
10z/10x	2810	S34W					

Remarks

Project: Hagen S Transect No.: 011 Date Established: 7/26/81 Personnel: Hicks Osgood

Points				Points			
From/To	Dist (cm)	Az	Δ Elev (cm)	From/To	Dist (cm)	Az	Δ Elev (cm)
11z ⁺ /11z	411	N27W		11z/10z	3130	N54W	-133 (H1=154)
11x ⁺ /11x	927	S30W		11z/11xa	3450	S10W	-150
11z/11x	2650	S48W					

Remarks This begins a section of trail building abuse

Project: Hagen S Transect No.: 012 Date Established: 7/26/81 Personnel: Hicks Osgood

Points				Points			
From/To	Dist (cm)	Az	Δ Elev (cm)	From/To	Dist (cm)	Az	Δ Elev (cm)
12z ⁺ /12z	526	N40W		12z/11xa	2970	N54W	-137 (H1=140)
12x ⁺ /12x	418	N27E		12z/11z	5500	N19W	+13
12z/12x	1640	S47W					

Remarks This profile lies 60m from 011 due to trail debris (rather than 30 m)

3 z^t (T= metal tag or permanent marker)

STREAM TRANSECT LOCATION DATA

Project: Hagen S

Transect No.: 013

Date Established: 7/26/81

Personnel: Hicks
Osgood

Points From/To	Dist (cm)	Az	ΔElev (cm)
13z ⁺ /13z	640	S40E	
13x ⁺ /13x	334	N33E	
13z/13x	2560	S31W	

Points From/To	Dist (cm)	Az	ΔElev (cm)
13z/12z	2680	N76W	-201 (H1=169)
13z/14x	3100	S52E	+77
13z/14z	2500	S82E	+121

Remarks

Project: Hagen S

Transect No.: 014

Date Established: 7/27/81

Personnel: Hicks
Osgood

Points From/To	Dist (cm)	Az	ΔElev (cm)
14z ⁺ /14z	1850	N32E	
14x ⁺ /14x	138	N33E	
14z/14x	1680	S	

Points From/To	Dist (cm)	Az	ΔElev (cm)
----------------	-----------	----	------------

Remarks z tag on x side w/ x tag

Project: Hagen S

Transect No.: 015

Date Established: 7/27/81

Personnel: Hicks
Osgood

Points From/To	Dist (cm)	Az	ΔElev (cm)
15z ⁺ /15z	2868	N47E	
15x ⁺ /15x	473	N20E	
15x/15z	2450	N45E	

Points From/To	Dist (cm)	Az	ΔElev (cm)
15x/14x	2460	N5W	-162 (H1=148)
15x/16x	2580	S42E	+30

Remarks z and x survey info on one tag on x side

z monument is rebar on rock face - set up on x side

Project: Hagen S

Transect No.: 016

Date Established: 7/27/81

Personnel: Hicks
Osgood

Points From/To	Dist (cm)	Az	ΔElev (cm)
16z ⁺ /16z	773	S33W	
16x ⁺ /16x	1070	N3W	
16z/16x	3010	S75W	

Points From/To	Dist (cm)	Az	ΔElev (cm)
16z/17x	3670	N7W S7E	-167
16z/17z			-154

Remarks

3 z^t (T= metal tag or permanent marker)

STREAM TRANSECT LOCATION DATA

Project: Hagen 5 Transect No.: 017 Date Established: 7/27/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	Δ Elev (cm)	Points From/To	Dist (cm)	Az	Δ Elev (cm)
17z ⁺ /17z	234	N2W					
17x ⁺ /17x	1210	S60W					
17z/17x	1330	S47W					

Remarks X and Z monument info on one tag, z side. X monument is rebar in rock face

Project: Hagen 5 Transect No.: 018 Date Established: 7/27/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	Δ Elev (cm)	Points From/To	Dist (cm)	Az	Δ Elev (cm)
18z ⁺ /18z	526	N22E		18z/17z	2120	N75W	-124 (180 HI?)
18x ⁺ /18x	645	N15W		18z/18a	3360	N64W	+34
18z/18x	1610	S12W		18z			

Remarks

Project: Transect No.: Date Established: Personnel:

Points From/To	Dist (cm)	Az	Δ Elev (cm)	Points From/To	Dist (cm)	Az	Δ Elev (cm)
19z ⁺ /19z	369	S87W		18 19z/18a	450	S30W	-157 (093 HI?)
19x ⁺ /19x	2118	S34W		19z/10			
19z/19x	1930	S30W					

Remarks X and Z monument info on ~~2~~ one tag, z side

Project: Transect No.: Date Established: Personnel:

Points From/To	Dist (cm)	Az	Δ Elev (cm)	Points From/To	Dist (cm)	Az	Δ Elev (cm)

Remarks

STREAM TRANSECT LOCATION DATA

Project: Hagen N Transect No.: 001 Date Established: 7/12/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	Δ Elev (cm)	Points From/To	Dist (cm)	Az	Δ Elev (cm)
<u>1z/1x</u>	<u>1810</u>	<u>S52E</u>					
<u>1z⁺/1z</u>	<u>660</u>	<u>S43E</u>					
<u>1x⁺/1x</u>	<u>250</u>	<u>N57W</u>					

Remarks

Project: Hagen N Transect No.: 002 Date Established: 7/12/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	Δ Elev (cm)	Points From/To	Dist (cm)	Az	Δ Elev (cm)
<u>2z/2x</u>	<u>1580</u>	<u>S83E</u>		<u>2z/1z</u>	<u>1820</u>	<u>S5W</u>	<u>-118 (HI=161)</u>
<u>2z⁺/2z</u>	<u>430</u>	<u>S7E</u>					
<u>2x⁺/2x</u>	<u>980</u>	<u>S65W</u>					

Remarks

Project: Hagen N Transect No.: 003 Date Established: 7/12/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	Δ Elev (cm)	Points From/To	Dist (cm)	Az	Δ Elev (cm)
<u>3z/3x</u>	<u>1470</u>	<u>S55E</u>		<u>3z/2z</u>	<u>1618</u>	<u>S13W</u>	<u>-132 (HI=156)</u>
<u>3z⁺/3z</u>	<u>756</u>	<u>N55E</u>					
<u>3x⁺/3x</u>	<u>1382</u>	<u>N15W</u>					

Remarks

Project: Hagen N Transect No.: 004 Date Established: Personnel:

Points From/To	Dist (cm)	Az	Δ Elev (cm)	Points From/To	Dist (cm)	Az	Δ Elev (cm)
<u>4z/4x</u>	<u>1430</u>	<u>S27E</u>		<u>4z/3z</u>	<u>1923</u>	<u>S33W</u>	<u>-27 (HI=134)</u>
<u>4z⁺/4z</u>	<u>1208</u>	<u>N35W</u>					
<u>4x⁺/4x</u>	<u>285</u>	<u>S S15E</u>					

Remarks Z and X reference info on same tag, ~~Z side~~ X side

3-z^t (T= metal tag or permanent marker)

STREAM TRANSECT LOCATION DATA

Project: Hagen N Transect No.: 005 Date Established: 7/12/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	ΔElev (cm)	Points From/To	Dist (cm)	Az	ΔElev (cm)
5z/5x	1990	S37E		5z/4z	1637	S60W	-269 (HI = 140)
5z ^t /5z	841	S10E					
5x ^t /5x	2540	S22E					
Remarks 5z + 5x ref. info on one tag, z side							

Project: Hagen N Transect No.: 006 Date Established: 7/12/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	ΔElev (cm)	Points From/To	Dist (cm)	Az	ΔElev (cm)
6z/6x	1650	S55E		6z/5z	1585	S54W	-0 (HI = 154)
6z ^t /6z	593	S10W		6z/6za	730	S82E	-171
6x ^t /6x	2030	S20E					
6z/5z							
Remarks 6x is rebar in rock face 6z + 6x tag info on same tag on z side							

Project: Hagen N Transect No.: 007 Date Established: 7/12/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	ΔElev (cm)	Points From/To	Dist (cm)	Az	ΔElev (cm)
7z/7x	1530	S47E		7z/6za	1230	S20W	-382
7z ^t /7z	559	S37W					
7x ^t /7x	1680	S23E					
Remarks							

Project: Hagen N Transect No.: 008 Date Established: 7/12/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	ΔElev (cm)	Points From/To	Dist (cm)	Az	ΔElev (cm)
8z/8x	1080	S53E		8z/7z	1370	S47W	+240 (HI = 132)
8z ^t /8z	901	S9W		8z/8za	940	N53E	-96
8x ^t /8x	255	S20W					
Remarks							

3 z^t (T = metal tag or permanent marker)

STREAM TRANSECT LOCATION DATA

Project: Hagen N Transect No.: 009 Date Established: 7/13/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	Δ Elev (cm)	Points From/To	Dist (cm)	Az	Δ Elev (cm)
9z/9x	1640	S70E		9z/8za	1130	S40E	-241
9z ⁺ /9z	839	S2W					
9x ⁺ /9x	334	N10E					

Remarks

Project: Hagen N Transect No.: 010 Date Established: 7/13/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	Δ Elev (cm)	Points From/To	Dist (cm)	Az	Δ Elev (cm)
11z⁺/11z	528	S12E		10z/9z	1690	S34W	-192 -75
10z ⁺ /10z	482	S		10z/11z	1410	N47E	-130
10x ⁺ /10x	622	N					
10z/10x	2070	S47E					

Remarks

Project: Hagen N Transect No.: 011 Date Established: 7/13/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	Δ Elev (cm)	Points From/To	Dist (cm)	Az	Δ Elev (cm)
11z ⁺ /11z	528	S12E		#			
11x ⁺ /11x	2270	S42E					
11z/11x	1880	S37E					

Remarks Reference info for 11x and 11z on one tag, 2 side

Project: Hagen N Transect No.: 012 Date Established: 7/13/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	Δ Elev (cm)	Points From/To	Dist (cm)	Az	Δ Elev (cm)
12z ⁺ /12z	1160	S10E		12z/11z	1930	S22W	-175 (H1=163)
12x ⁺ /12x	842	N45E		12z/13x	2640	S67E	-9
12z/12x	2100	S17E					

Remarks

3-z^t (T= metal tag or permanent marker)

STREAM TRANSECT LOCATION DATA

Project: Hagen N Transect No.: 013 Date Established: 7/14/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	Δ Elev (cm)	Points From/To	Dist (cm)	Az	Δ Elev (cm)
13z ⁺ /13z	600	N85W					
13x ⁺ /13x	815	N					
13z/13x	2390	S					

Remarks

Project: Hagen N Transect No.: 014 Date Established: 7/14/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	Δ Elev (cm)	Points From/To	Dist (cm)	Az	Δ Elev (cm)
14z ⁺ /14z	914	S44 S9E		14z/13z	650	S38W	-192 (HI=150)
14x ⁺ /14x	3180	S35E		14z/15z	1010	N55E	-98 (HI=150)
14z/14x	2380	S58E					

Remarks Reference info for 14x and 14z on tag on z side

Project: Hagen N Transect No.: 015 Date Established: 7/14/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	Δ Elev (cm)	Points From/To	Dist (cm)	Az	Δ Elev (cm)
15z ⁺ /15z	179	N40E					
15x ⁺ /15x	620	S45W					
15z/15x	1810	S42E					

Remarks

Project: Hagen N Transect No.: 016 Date Established: 7/14/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	Δ Elev (cm)	Points From/To	Dist (cm)	Az	Δ Elev (cm)
16z ⁺ /16z	434	S32E		16z/15z	2070	S62W	-85 (HI=155)
16x ⁺ /16x	748	N60E		16z/17z	2030	N58E	+73
16z/16x	1290	S34E					

Remarks

3 z⁺ (T= metal tag or permanent marker)

STREAM TRANSECT LOCATION DATA

Project: Hagen N Transect No.: 017 Date Established: 7/14/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	Δ Elev (cm)	Points From/To	Dist (cm)	Az	Δ Elev (cm)
172 ⁺ /172	657	S27E		172/182	1460	N75W	+28
17x ⁺ /17x	581	N45W					
172/17x	1730	S2W					

Remarks

Project: Hagen N Transect No.: 018 Date Established: 7/14/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	Δ Elev (cm)	Points From/To	Dist (cm)	Az	Δ Elev (cm)
182 ⁺ /182	960	S37W					
18x ⁺ /18x	152	S80W					
182/18x	1710	S6E					

Remarks

Project: Hagen N Transect No.: 019 Date Established: 7/14/81 Personnel: Hicks Osgood

Points From/To	Dist (cm)	Az	Δ Elev (cm)	Points From/To	Dist (cm)	Az	Δ Elev (cm)
192 ⁺ /192	362	N66E		192/182	1770	S43W	40-282 (H1=124)
19x ⁺ /19x	613	N50W					
192/19x	2460	S7E		192/202	1290	N87E	-343

Remarks

Project: Hagen N Transect No.: 020 Date Established: 7/14/81 Personnel: Hicks Osgood


Points From/To	Dist (cm)	Az	Δ Elev (cm)	Points From/To	Dist (cm)	Az	Δ Elev (cm)
202 ⁺ /202	1256	S34E					
20x ⁺ /20x	363	N35W					
202/20x	1760	S33E					

Remarks

3-#^t (T= metal tag or permanent marker)


South Hagan

Map #1
25 Sept. 1984
158° S.E.




South Hagan

Map #2
25 Sept. 1984
109° S.E.




South Hagan
Map #4
26 Sept, 1984
132.5° S.E.




South Hagan

Map #5
26 Sept. 1984
111° S.E.



South Hagan


Map #6
26 Sept. 1984
52.5° N.E.




South Hagan

Map #7
17 Oct. 1984
S 65 E 49°

002




South Hagan
Map #8
17 Oct. 1984
S65°E 69°




South Hagan

Map #9
17 Oct 1984
S 65° E 6%



S. Hagan

Map #10
17 Oct. 1984
S 29°E 5%




South Hagan

Map #11

17 Oct. 1984


S 29°E 5%




South Hagan

Map #12
17 Oct. 1984
S 75° E

ALRU



M₉₉ #13
18 Oct. 1984
545E 8°-



ALRU


* 200M Stake

ALRU

700

55

050

045

40

35


30

0.25


95

9/9

John Magan
Map #15
13 Oct. 1984
N 75°E 5%




Map #16
18 Oct. 1984
100.5° S.E.




South Hagan


Map #17
18 Oct. 1984
S 54° E 5%



Map #20
13 Oct. 1984
S 05° E 390



Map #21
 18 Oct. 1984
 S 70° E 49%



S¹ 10¹¹ E 29.5

$$\begin{array}{r} 110 \\ 909 \\ 169 \\ 908 \\ 108 \\ 907 \\ 107 \\ 906 \\ 106 \\ 105 \end{array} + \begin{array}{r} 20 \\ 22 \end{array}$$

